All communications should be addressed to: DEPUTY COMMONWEALTH STATISTICIAN POX 14331 G.P.O. ADELADE

THE DEPUTY COMMONWEALTH STATISTICIAN, BOX 1433J, G.P.O., ADELAIDE
TELEPHONE: 23 9911



COMMONWEALTH BUREAU OF CENSUS AND STATISTICS

Sixth Floor,
Prudential Building,
195 North Terrace,
Adelaide

CHICKEN HATCHINGS AND POULTRY SLAUGHTERINGS

SOUTH AUSTRALIA

JANUARY 1967

Details of chicken hatchings and poultry slaughterings in South Australia for the months of July 1966 to January 1967 and for the year ended 30th June 1966 have been compiled from returns submitted by all known South Australian commercial hatchers and slaughterers. Although the figures may not cover some very small producers, it is considered that the statistics give a high level of coverage of hatchings and slaughterings of meat strain chickens and of hatchings of egg strain chicks in commercial hatcheries which sell day-old chicks.

Particulars of poultry slaughtered are given in Table 1. The second table shows numbers of eggs set and chicks hatched in commercial hatcheries.

Any discrepancies between totals and sums of components are due to rounding.

TABLE 1 - POULTRY SLAUGHTERED FOR HUMAN CONSUMPTION (a)

		TOUBIRT SHAUGHTERE			eccangaterno-anemical							
P eriod		Chickens (i.e. Broilers, Fryers, or Roasters)	Hens and Stags	Ducks and Drakes	Turkeys	Total						
NUMBER SLAUGHTERED (1000)												
1965-66: 1966-67:		2,716 275 300 279 281 286 311 324	197 12 12 21 18 15 15	52 3 3 4 4 6 4	20 5 4 2 1 4 1	2,985 295 319 305 304 309 333 340						
LIVE WEIGHT OF POULTRY SLAUGHTERED ('000 lb.)												
1965 – 66 : 1966 – 67 :		8,553 885 943 910 929 938 1,026	970 62 59 108 94 78 76	304 17 17 17 21 22 31 20	257 62 74 22 11 47 11 20	10,084 1,026 1,093 1,057 1,055 1,085 1,144 1,142						
	DRESSED WEIGHT OF POULTRY SLAUGHTERED ('000 lb.) (b)											
1965-66: 1966-67:		6,447 665 713 693 717 724 774 784	653 42 40 74 64 52 53 39	209 12 13 12 15 16 22 14	187 47 56 17 8 34 8	7,496 766 822 796 804 827 857						

- (a) Excludes geese slaughtered (444 geese with live weight of 3,979 lb. and dressed weight of 2,795 lb. were slaughtered during 1965-66).
- (b) Dressed weight of whole birds, pieces and giblets as reported by producers.




TABLE 2 - EGGS SET AND CHICKS HATCHED IN COMMERCIAL HATCHERIES

Particulars	1965 - 66	JULY 1966	AUGUST 1966	SEPTEMBER 1966	OCTOBER 1966	NOVEMBER 1966	DECEMBER 1966	JANUARY 1967
				1000				1000
Eggs set, including eggs which failed to hatch -								
Meat strains Egg strains	5,089 4,464	480 887	485 1,103	495 852	542 378	469 199	491 94	484 161
Total eggs	9,553	1,367	1,588	1,347	920	667	585	645
Chicks hatched (a) and intended to be raised for - Chicken meat -								
Meat strains - unsexed Egg strains(b) - crossbred and other cockerels	3,501 274	337 19	374 41	352 41	332 43	357 19	377 9	343 6
Egg production -	-2							
Egg strains (b) - pullets	1,525	259	371	385	247	102	35	37
Breeding -								
Egg strains - pullets cockerels	70 8	27 2	23 2	9	6 3	3	-	-
Total chicks (c)	5,378	644	811	790	630	481	422	386

- (a) Excluding chicks destroyed.
- (b) Egg strain chicks sold as "unsexed" have been allocated equally between chicks for chicken meat and chicks for egg production. The number so reported was 5,900 for January 1967.
- (c) Excludes meat strain chicks for breeding purposes, details of which are not available for publication.

